PZ-MULTIMEDIA AG
Produktion professioneller Medien

Dornacherstrasse 250a
CH-4053 Basel
Tel + 41 61 681 43 43
Fax + 41 61 681 39 07
www.pz-multimedia.ch
info@pz-multimedia.ch

Preisliste

Netto in CHF, exkl. 8% Mwst

01.04.2011

Tel +41 061 681 43 43
info@pz-multimedia.ch

Item Number	Modular Universal Format Video-Audio Seamless Switchers	
C2-8000 Series NEW	5 Slots for Audio, Video or Data Modules. Featuring DVI-U Universal Inputs and Outputs, DVI-U = DVI, HDMI, RGB, YPbPr, YUV, CV or YC via a DVI-I Connector. Features: 3 Scalers, 3D Processing, Key, PIP, Mix, Preview, Edge Blending, Embedded Audio Routing, 2 Independent Output Channels, IP & RS-232/422/485 Interface.	
C2-8110 NEW	6x DVI-U In, 2x DVI-U Out Options: CC-300 CORIOconsole, Redundant Power Supply	8'828.00
C2-8120 NEW	8x DVI-U In, 2x DVI-U Out Options: CC-300 CORIOconsole, Redundant Power Supply	9'615.00
C2-8130 NEW	12x DVI-U In, 2x DVI-U Out Options: CC-300 CORIOconsole, Redundant Power Supply	11'198.00
C2-8160 NEW	10x DVI-U In, 2x DVI-U Out, plus AES3-id Audio Interface Options: CC-300 CORIOconsole, Redundant Power Supply, A2-7300 Series Audio Breakout Units	11'535.00
C2-8210 NEW	8x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out Options: CC-300 CORIOconsole, Redundant Power Supply	12'548.00
C2-8260 NEW	6x DVI-U & 2x 3G-SDI In, 2x DVI-U & 2x 3G-SDI Out, plus AES3-id Audio Interface Options: CC-300 CORIOconsole, Redundant Power Supply, A2-7300 Series Audio Breakout Units	12'893.00
Item Number	C2-8000 Options and Accessories	
CM-1RPS	Redundant Power Supply Unit - Factory or Tech Center Fitting Only	434.00
ZDH2050	Composite Video Adapter - DVI Male to BNC Female	9.00
ZDB2048 NEW	YC (S-Video) Adapter - DVI Male to 2-BNC Female	9.00
ZDS2046 NEW	YC (S-Video) Adapter - DVI Male to 4-PIN Mini-DIN Female	9.00
ZDH2040	Analog PC Adapter - DVI Male to HD-15 Female	5.00
ZDB2038	Analog RGBHV Adapter Cable - DVI Male to 5-BNC Female - Length: 1.5' (0.5m)	23.00
ZDB2044 NEW	YPbPr/YUV Adapter Cable - DVI Male to 3-BNC Female - Length: 1.5' (0.5m)	23.00
ZDR2042 NEW	YPbPr/YUV Adapter - DVI Male to 3-RCA Female	63.00
CMD1939	HDMI Adapter - DVI Male to HDMI Female	9.00
RM-120	Rear rack support rails to fit 600mm (24") deep Racks	183.00
RM-130	Rear rack support rails to fit 800mm (32") deep Racks	183.00
Item Number	Control Console for CORIO2 Products	
CC-300	CORIOconsole hardware control panel for all CORIO2 Switcher/Scaler products Controls multiple CORIO2 units Interface via IP or RS-232	2'528.00
Item Number	Audio Breakout and Converter Boxes for Standalone, C2-8000 or C2-7300/7310	
A2-7312	AES3-id Breakout Panel (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES3-id I/O from C2-7310 to 16x BNC Connectors 8x AES-3id In and 8x AES-3id Out Works with C2-7310, C2-8000 Series or standalone with any other A2-7000 series unit	518.00
A2-7302	Digital Audio Converter Box (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES-3id I/O from C2-7310 to AES3 on XLR Connectors 8x AES Stereo Channels In and 8x AES Stereo Channels Out Works with C2-7310, C2-8000 Series or standalone with any other A2-7000 series unit	1'373.00
A2-7342	Analog Audio Converter Box (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES-3id I/O from C2-7310 to Analog Stereo on XLR Connectors 4x Analog Stereo Channels In and 4x Analog Channels Out Works with C2-7310, C2-8000 Series or standalone with any other A2-7000 series unit	1'455.00
A2-7322	Analog Audio Converter Box (1 or 2 units may be connected to C2-7310, 1 to C2-8000) Converts AES-3id I/O from C2-7310 to Analog Stereo on Terminal Blocks 8x Analog Stereo Channels In and 8x Analog Channels Out (Balanced or Unbalanced) Works with C2-7310, C2-8000 Series or standalone with any other A2-7000 series unit	2'153.00

Tel +41 061 681 43 43
info@pz-multimedia.ch

Item Number	Dual Channel Multi-format Video Seamless Switchers	
C2-7110	9 Input Seamless Switcher: 3xDVI-I (RGB/YPbPr/YUV), 3xCV, 3xYC (S-Video) 2 Independent Output Channels, each with DVI-I (RGB/YPbPr/YUV), CV, YC Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	6'780.00
C2-7100	Same as above, except with CORIO-STD Front Panel featuring removable button caps allowing labeling to be added with backlight	6'780.00
C2-7210	11 Input Seamless Switcher: 3xDVI-I (RGB/YPbPr/YUV), 3xCV, 3xYC, 2xSD/HD-SDI 2 Independent Output Channels, each with DVI-I (RGB/YPbPr/YUV), CV, YC, SD/HD-SDI Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	8'910.00
C2-7200	Same as above, except with CORIO-STD Front Panel featuring removable button caps allowing labeling to be added with backlight	8'910.00
C2-7260	17 Input Seamless Switcher: 3xDVI-I (RGB/YPbPr/YUV), 3xCV, 3xYC, 8xSD/HD-SDI 2 Independent Output Channels, each with DVI-I (RGB/YPbPr/YUV), CV, YC, SD/HD-SDI Features: Up/Down/Cross Conversion. Key, PIP, Mix, Preview, Edge Blending IP, RS-232. Options: A2-2000 Audio Switching, CC-300 CORIOconsole	11'160.00
A2-2000	10-Input Analog Audio Switcher for C2-4000/5000/7000 Series (except C2-7310) 10 Balanced or Unbalanced Inputs. Program & Preview Outputs Full Audio Processing Controls	1'290.00
Item Number	**Dual Channel Multi-format Video-Audio Seamless Switcher**	
C2-7310	All C2-7210 Features & Functions, plus integral 48 channel stereo processing and I/O Integral Audio: 32 AES-3id Digital Audio In and 16 AES-3id Digital Audio Out SD/HD-SDI Embedding & Extracting and assignable to any video input or output Options: A2-7312, A2-7302, A2-7342, A2-7322 Audio Format Converters, CC-300	11'588.00
C2-7300	Same as above, except with CORIO-STD Front Panel featuring removable button caps allowing labeling to be added with backlight	11'588.00
Item Number	**Universal Input Analog Video Seamless Switchers**	
C2-3350	Seamless Switcher with Universal Video I/O, Unrestricted PIP, Key, Mix, Edge Blending 8 Inputs and 2 Output. Full Screen Preview via HD-15. NTSC, PAL, SECAM 8x Universal Inputs - RGB, YPbPr, YUV, CV, SV. All HDTV. RGB up to 2048x2048. 1x Universal Analog Output and 1x Universal DVI-I Output	3'428.00
C2-3360	Same as C2-3350, plus Integral Stereo Audio Switching and Processing	4'290.00
Item Number	**CORIOview Multi-Window Processors**	
C2-6204 NEW	CORIOview 4-Window HD-SDI Multiviewer. Max Res 1080p/60 (3G) Inputs: 4x SD/HD-SDI plus 1x DVI-I for Background and Cascading Outputs: 1x SD/HD-SDI, plus 1x DVI-I Options: CM-TALLY Tally Module	4'808.00
C2-6104A NEW	CORIOview 4-Window DVI-I Multiviewer. Max Res 1920x1200, 1080p Inputs: 4x DVI-I/Composite Video plus 1x DVI-I for Background and Cascading Output: 1x DVI-I Options: CM-TALLY Tally Module	4'808.00
Item Number	**Universal 3G/HD/SD-SDI Converter**	
C2-2375A NEW	Universal 3G Up/Down/Cross Converter w/Audio Processing. Max HD-SDI 1080p/60 (3G) Inputs: 2x 3G/HD/SD-SDI, 2x DVI-U (DVI, YUV, YPbPr, RGB, CV, YC), 1x SDI & BB Ref Outputs: 2x 3G/HD/SD-SDI, 2x DVI-U (DVI, YUV, YPbPr, RGB, CV, YC) Options: Tally, Clock, Redundant Power Supply, Audio Interface for A2-7300 Series	7'875.00
Item Number	**Edge Blending Video Processor**	
C2-2450A	Edge Blending Module - Requires 1 module per image Edge Blending Only - No Key, Mix, PIP, etc. In/Out: DVI-I PC/HD, Analog PC/HD/YUV via HD15 Control: RS-232, IP. Options: RM-220 Rackmount	2'093.00

Tel +41 061 681 43 43
info@pz-multimedia.ch

Item Number	Video Scaler/Switchers	
C2-1200	6 Inputs, Up Conversion, Stereo Audio Switching 6 Inputs: 1xRGB/YPbPr/YUV via HD15, 1xYUV/YPbPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 2xRGB/YPbPr/YUV via HD15 and 5-BNC, 1x UTP. 1xStereo IR, RS-232. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300 CORIO	1'110.00
C2-1250	Same as C2-1200, plus Cross Conversion, Genlock, PIP, Key, Mix and Edge Blending	1'545.00
C2-260	Internal PC Card with Up/Cross Conversion, Genlock, PIP, Key, Mix, Edge Blending Same performance as C2-1250. Control by RS-232 PC Card for PCI/ISA Slot Options: IRC-5 IR Remote Control	863.00
C2-2200A	7 Inputs, Up/Cross Conversion, Stereo Audio Switching 7 Inputs: 1xDVI-D, 1xRGB/YPbPr/YUV via HD15, 1xYUV/YPbPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 1xDVI-I (Digital & Analog), 1xRGB/YPbPr/YUV via HD15, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	1'710.00
C2-2205A	Same as C2-2200A, plus SD-HD/SDI Input	2'138.00
C2-2250A	7 Inputs, Up/Cross Conversion, Genlock, PIP, Key, Mix, Stereo Switching, Edge Blending 7 Inputs: 1xDVI-D, 1xRGB/YPbPr/YUV via HD15, 1xYUV/YPbPr via 3-BNC, 2xCV, 2xYC, 4xStereo 3 Outputs: 1xDVI-I (Digital & Analog), 1xRGB/YPbPr/YUV via HD15, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	2'138.00
C2-2255A	Same as C2-2250A, plus SD-HD/SDI Input	2'573.00
Item Number	**Universal Video Scaler/Switchers**	
C2-1350	RGB/YPbPr Up/Down/Cross Converter, PIP, Key, Mix, Stereo Switching, Edge Blending 4 Inputs: 1xRGB/YPbPr/YUV via HD15, 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC, 4xStereo 4 Output: 2xRGB/YPbPr/YUV via HD15 and 5-BNC, 1xCV, 1xYC, 1x Stereo IR, RS-232. Options: S2 Input Expansion, RM-220 Rackmount, IRC-5, CC-300	1'973.00
C2-2350A	DVI/RGB/YPbPr Up/Down/Cross Converter, PIP, Key, Mix, Stereo Switch, Edge Blending 5 Inputs: 1xDVI-D, 1xRGB/YPbPr/YUV via HD15, 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC, 4xStereo 5 Outputs:1xDVI-I (Digital&Analog), 1xRGB/YPbPr/YUV via HD15, 1xCV, 1xYC, 1xStereo IR, RS-232, IP. Options: S2 Input Expansion, IRC-5, RM-220 Rackmount, CC-300	2'573.00
C2-2355A	Same as C2-2350A, plus SD-HD/SDI Input and Output	3'000.00
Item Number	**Down Converters (Scan Converters)**	
C2-1100	RGB/YPbPr Down Converter 2 Inputs: 2xRGB/YPbPr/YUV via HD-15 w/Loop-thru and 5-BNC 3 Outputs: 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC IR, RS-232. Options: S2 Input Expansion, IRC-5 Remote, RM-220 Rackmount	1'200.00
C2-1150	RGB/YPbPr Down Converter, Genlock, PIP, Key, Mix 4 Inputs: 2xRGB/YPbPr/YUV via HD-15 w/Loop-thru and 5-BNC, 1xCV, 1xYC 3 Outputs: 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC IR, RS-232. Options: S2 Input Expansion, IRC-5 Remote, RM-220 Rackmount	1'545.00
C2-160	Internal RGB/YPbPr Down Converter with Genlock, PIP, Key, Mix 3 Inputs: 1xRGB/YPbPr/YUV via HD-15, plus Background Inputs: 1xCV, 1xYC 2 Outputs: 1xCV, 1xYC RS-232 or IR. Options: IRC-5 IR Remote	855.00
C2-2100A	DVI/RGB/YPbPr Down Converter with Genlock 2 Inputs: 1x DVI-D, 1xRGB/YPbPr/YUV via HD-15 w/Loop-thru. Genlock Input: 1xCV 3 Outputs: 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC IR, RS-232, IP. Options: S2 Input Expansion, IRC-5 IR Remote, RM-220 Rackmount	1'710.00
C2-2105A	Same as C2-2100A, plus SD/HD-SDI Output	2'138.00
C2-2150A	DVI/RGB/YPbPr Down Converter with Genlock, PIP, Key, Mix 4 Inputs: 1x DVI-D, 1xRGB/YPbPr/YUV via HD-15 w/Loop-thru, 1xCV, 1xYC 3 Outputs: 1xYUV/YPbPr via 3-BNC, 1xCV, 1xYC IR, RS-232, IP. Options: S2 Input Expansion, IRC-5 IR Remote, RM-220 Rackmount	1'973.00
C2-2155A	Same as C2-2150A, plus SD/HD-SDI Output	2'400.00

Item Number	Input Expansion Modules/Standalone Switchers	
S2-108HD	8x2 HD-SDI (or SD-SDI) Switcher with C2 Interface, RS-232 and IR 8-Inputs x 2-Output HD-SDI (or SD-SDI) via BNC w/Embedded Stereo Option: RM-220 Rackmount	1'455.00
S2-106AD	6x2 Stereo Audio Switcher with Full Processing, Variable Delay 6-Inputs x 2-Outputs High/Low Impedance Stereo via Terminal Strip, RCA, 3.5mm Mini IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	863.00
S2-105DVIA	5x1 DVI-D and Stereo Audio Switcher. Max Resolution 1080p, 1920x1200 5-Inputs x 1-Output DVI-D and High Impedance Stereo Audio via 3.5mm Mini-Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	863.00
S2-109PC	9x1 RGB/YPbPr Switcher. Bandwidth 500MHz 9-Inputs x 1-Output RGB/YPbPr via HD-15 IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	683.00
S2-105PC	5x1 RGB/YPbPr Switcher. Bandwidth 500MHz 5-Inputs x 1-Output RGB/YPbPr via HD-15	518.00
S2-105PCA	5x1 RGB/YPbPr and Stereo Audio Switcher. Bandwidth 500MHz 5-Inputs x 1-Output RGB/YPbPr via HD-15 and High Impedance Stereo via 3.5mm Mini IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	683.00
S2-110CV	10x2 Composite Video Switcher 10-Inputs x 2-Outputs Composite Video via BNC IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	518.00
S2-105CV	5x2 Composite Video Switcher 5-Inputs x 2-Outputs Composite Video via BNC with Auto Terminating Loop-thru IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	398.00
S2-105CVA	5x2 Composite Video and Stereo Audio Switcher 5-Inputs x 2-Outputs CV via BNC with Loop-thru and High/Low Impedance Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	495.00
Item Number	Input Expansion Modules/Standalone Switchers Continued	
S2-110YC	10x2 YC (S-Video) Switcher 10-Inputs x 2-Output YC via 4-Pin Mini-DIN IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	518.00
S2-105YC	5x2 YC (S-Video) Switcher 5-Inputs x 2-Outputs YC via 4-Pin Mini-DIN with Auto Terminating Loop-thru IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	398.00
S2-105YCA	5x2 YC (S-Video) and Stereo Audio Switcher 5-Inputs x 2-Outputs YC via 4-Pin Mini-DIN with Loop-thru and High/Low Impedance Stereo IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	495.00
Item Number	Accessories for C2 & S2 Series	
S2-101AA	10-Watt Stereo Audio Power Amplifier, C2 Interface, RS-232 and IR 3-inputs via RCA, 3.5mm Mini-Stereo, Terminal Strip. 1-Output via Speaker Clips IR, RS-232. Direct Interface to C2 Series. Option: IRC-5 Remote, RM-220 Rackmount	405.00
P2-105	Multi Power Supply for up to 5x S2 or C2 units requiring external power Input: 100-240VAC, 50-60Hz. Output 5x 12V@1A. Option: RM-220 Rackmount Note: This is an alternative to the individual power adapters included with all products	203.00

Item Number	Options, Accessories and Spares	
PS-STD-1233-LOCK	Universal 12VDC@3.3A IEC Power Adapter with US type AC Power Cord and Locking DC	27.00
PS-ULE310-1210-LOCK	Universal 12VDC@1A Power Adapter with US type AC Plug and Locking DC Plug	23.00
CM-1RPS	Internal Redundant Power Supply for C2-2375A with 1 AC Inlet	434.00
CM-1RPS-2AC	Internal Redundant Power Supply for C2-2375A with 2 AC Inlets	488.00
RM-110	Rear rack support rails for C2-3000, 4000, 5000, 6000 and 7000 Series	93.00
RM-120	Rear rack support rails for C2-2375A to fit 600mm (24") deep Racks	183.00
RM-130	Rear rack support rails for C2-2375A to fit 800mm (32") deep Racks	183.00
RM-220	Single/Dual Rackmount Frame for C2-1000/2000 and S2 Series Products	63.00
RM-230	Single/Dual Rackmount Frame for C2-1000/2000 , S2 and 1T-C2 Products	93.00
IRC-5	Infrared Remote Control for C2-1000, C2-2000, S2 Series and 1T-C2 Series Products	27.00
C2M-CLOCK	Clock Module for C2-6104A and C2-6204 Multiviewers	TBA
C2M-TALLY	Tally Module for C2-6104A and C2-6204 Multiviewers	321.00
CM-TALLY	Tally Module for C2-2375A	531.00
CM-AUD-8I8O	Audio Interface Module (8-In/8-Out) for C2-2375A to use A2-7300 Series Breakout Units	1'011.00
CM-CLOCK	Clock Module for C2-2375A	TBA
Item Number	Optional RGB & Component Video Cables & Adapters	
CH1608-6	VGA Cable - 6' (2m) - HD-15 Male on both ends with one Ferrite	18.00
CH1669-6	VGA Cable - 6' (2m) - HD-15 Male + 3.5mm Male Stereo on both ends	32.00
ZB1725G-6	Multi-BNC Cable - 6' (2m) - 5-BNC Male on both ends	54.00
ZB1809G-6	Component Video Cable - 6' (2m) 3-BNC Male on both ends	32.00
ZR1793G-6	Component Video Cable - 6' (2m) 3-RCA Male on both ends	30.00
ZHB1719G-6	Adapter Cable - 6' (2m) - HD-15 Male to 5-BNC Male	39.00
ZHR1720G-6	Adapter Cable - 6' (2m) - HD-15 Male to 3-RCA Male	24.00
CHB1609-2	Adapter Cable - 2' (0.7m) - HD-15 Male to 3-BNC Female	24.00
Item Number	Optional DVI & HDMI Cables & Adapters	
ZD1813-6	DVI-D Cable - 6' (2m) - DVI-D Male on both ends with Ferrite	23.00
ZM1875-6	HDMI Cable - 6' (2m) - HDMI Male on both ends	23.00
ZDB2038	Adapter Cable - 1.5' (0.5m) - DVI Male to 5-BNC Female	23.00
ZDH2040	Adapter - DVI Male to HD-15 Female	5.00
CMD1939	Adapter - HDMI Female to DVI Male	9.00
CMD1940	Adapter - HDMI Male to DVI Female	9.00
Item Number	Optional Fiber Optic Cable	
ZF4215-75	4 Core Fiber Optic Cable Assembly - 75' (25m) - Terminated on both ends	521.00
Item Number	Optional Video Cables	
ZB1650-6	Composite Video Cable - 6' (2m) - BNC on both ends	12.00
ZR1648G-6	Composite Video Cable - 6' (2m) - RCA on both ends	12.00
ZS1651G-6	S-Video Cable - 6' (2m) - 4-Pin Mini-DIN on both ends	12.00
ZSB1795-1	S-Video Adapter Cable - 0.8" (0.2m) - 4-Pin Mini-DIN Female to 2-BNC Male	11.00
ZSB1661-1	S-Video Adapter Cable - 0.8" (0.2m) - 4-Pin Mini-DIN Male to 2-BNC Female	11.00
ZSH-3000-1	S-Video to HD-15 Adapter for C2-3000 Series	11.00
ZCH-3000-1	Composite Video BNC to HD-15 Adapter for C2-3000 Series	11.00
Item Number	Optional Audio Cables & Adapters	
ZA1654-6	Audio Cable - 6' (2m) - 3.5mm Mini-Stereo Male on both ends	5.00
ZA1653G-6	Audio Cable - 6' (2m) - 2-RCA Male on both ends	15.00
ZA7392-2	A2-7300 Audio Interconnect Cable - 6' (2m) - HD-44 Male on both ends	27.00
Item Number	Optional RS-232 Cables	
CRS-4090-6	6' (2m) DB9 Female on both ends - Null Modem - for C2-4000/5000/7000 Series	11.00
CRS-3090-6	6' (2m) DB9 Male to DB9 Female for S2, 1T-C2, C2-1000/2000 Series	8.00
Item Number	HDTV LCD Monitors	
LM-1750HD	17" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, HDMI, PC, YC, YUV/YPbPr via 3-BNC, CV PC resolutions up to 1400x900. HD to 1080p Front Panel Tally Indicators with external input. RS-232. NTSC-PAL Auto-detection	4'448.00
LM-702HD	Dual 7" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	4'448.00
LM-503HD	Triple 5" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	4'875.00
LM-404HD NEW	Quad 4.3" High Definition Universal LCD Monitor in a Rackmount Frame Inputs: SD/HD-SDI, PC, YC, YUV/YPbPr via 3-BNC CV via BNC PC resolutions up to 1024x768. HD to 1080p Front Panel Tally Indicators with external input. NTSC-PAL Auto-detection	6'210.00

Tel +41 061 681 43 43
info@pz-multimedia.ch

Item Number	SDTV LCD Monitors	
LM-1920R NEW	19" LCD Monitor in a Rackmount Frame Inputs: 1xCV via BNC Loop-thru, 1xYC, 3xStereo Audio, 1xPC up to XGA via HD-15 and 1xDVI-D NTSC-PAL Auto-detection	2'130.00
LM-1520R NEW	15" LCD Monitor in a Rackmount Frame Inputs: 1xCV via BNC Loop-thru, 1xYC, 3xStereo Audio, 1xPC up to XGA via HD-15 and 1xDVI-D NTSC-PAL Auto-detection	1'680.00
LM-1042R	Dual 10.4" LCD Video/PC Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xPC up to SVGA via HD-15 for each Monitor Optional Input Expansion Modules for Analog HDTV or DVI Inputs. NTSC-PAL Auto-detect	3'038.00
LM-563R	Triple 5.6" LCD Video Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xYC for each Monitor NTSC-PAL Auto-detection	2'243.00
LM-404R	Quad 4.0" LCD Video Monitors in a Rackmount Frame Inputs: 1xCV via BNC and 1xYC for each Monitor NTSC-PAL Auto-detection	1'905.00
LM-701M	7" LCD Monitor in a Metal Case with Sunshade Inputs: 2xCV via RCA and Stereo Audio NTSC-PAL Auto-detection	668.00
LM-401M	4" LCD Monitor in a Metal Case Inputs: 2xCV via RCA and Stereo Audio NTSC-PAL Auto-detection	390.00

Tel +41 061 681 43 43
info@pz-multimedia.ch

tvone-TASK™
PRODUCT LINE

Item Number	DVI-HDMI Video Scalers	
1T-C2-750	Dual PIP DVI-I Scaler with Key, Mix & Seamless Switching. Max DVI 1920x1200, 1080p Input: 2x DVI-I. Output: 1x DVI-I. Max Analog RGB Res 2048x2049, 1080p HDCP Compliant, HDMI Compatible. Two integral Still Image Stores IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	1'103.00
1T-C2-760	DVI-I Scaler with Key, Mix, PIP & Seamless Switching. Max DVI 2880x900, 1080p Input: 2x DVI-I. Output: 1x DVI-I. Max Analog RGB Res 2048x2049, 1080p HDCP Compliant, HDMI Compatible. Integral Still Image Store. Edge Blendi IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	1'688.00
1T-VS-658	Cross/Up Converter - Video/PC/HD/Stereo to HDMI. Max Res1920x1200, 1080p Input: 1xYUV/YPbPr, 1xCV, 1xYC, 1x RGB/YPbPr, 4xStereo, 1xSPDIF Coaxial Audio Output: 1xHDMI with Embedded Audio , 1x Separate SPDIF Coaxial Audio IR, RS-232. Optional RM-220 Rackmount	578.00
1T-VS-558	Cross Converter - PC/HD/DVI to PC/HD/DVI. Max Res 1920x1200, 1080p Input: DVI via DVI-I and RGB/YPbPr via HD-15. Output: DVI via DVI-I and RGB via HD-15 IR, RS-232. Optional RM-220 Rackmount	525.00
1T-VS-624	Cross Converter - Analog PC/HD to HDMI. Max Res 1920x1200, 1080p Input: RGB, Analog Stereo, Toslink Digital Audio. Max Res 1920x1200, 1080p Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	315.00
1T-VS-626	Cross Converter - HDMI to HDMI with Audio Delay. Max Res 1920x1200, 1080p Input/Output: HDMI (DVI Compatible), SPDIF Audio via Toslink Adjustable Delay for Lip Sync Correction	278.00
1T-VS-622	Up Converter - Video/Stereo to HDMI. Max Res 1920x1200, 1080p Input: CV, SV, Analog Stereo, Toslink Digital Audio Output: HDMI (DVI Compatible), Analog Stereo, Toslink Digital Audio	330.00
1T-VGA-DVI	Cross Converter - PC/HD to DVI. Max Res 1280x1024, 1080i Input: RGB/YPbPr via HD-15. Output: DVI-I	368.00
1T-DVI-VGA	Cross Converter - DVI to PC/HD. Max Res 1280x1024, 1080i Input: DVI. Output: RGB/YPbPr via HD-15	368.00
1T-V1280DVI	Up Converter - Video to DVI. Max Res 1280x1024, 1080i Input: CV, YC, YUV. Output: DVI-I	263.00
Item Number	**Analog Video Scalers**	
1T-C2-400	Cross Converter - Analog PC/HD to PC/HD. Max Res 2048x2048, 1080p Input/Output: RGB/YPbPr via HD-15 IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	413.00
1T-C2-250	Up Converter - CV/YC to Analog PC/HD, plus Key & Mix. Max Res 1080p, 2048x2048 Input: CV, YC, RGB/YPbPr (Bypass). Output: RGB/YPbPr via HD-15 IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	525.00
Item Number	**Analog Down Converters (Scan Converters)**	
1T-C2-100	RGB/YPbPr to Video Down Converter with CORIO2 Technology Input: RGB/YPbPr via HD-15. Max Resolution 1080p, 2048x2048 Output: 2xCV, 2xYC IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	683.00
1T-C2-150	RGB/YPbPr to Video Down Converter with CORIO2 Technology, plus Key, Mix Input: RGB/YPbPr via HD-15. Max Resolution 1080p, 2048x2048 Background Input: CV, YC. Output: CV, YC IR, RS-232. Options: IRC-5 Remote Control, RM-230 Rackmount Kit	863.00

Item Number	Format Converters without Scaling	
1T-FC-766 NEW	HDMI v1.3 to 3G/HD/SD-SDI Converter Input: HDMI v1.3, Stereo Audio Outputs: 2x 3G/HD/SD-SDI Options: RM-230 Rackmount Kit	450.00
1T-C2-511	HD-SDI to DVI-I Converter (No Scaling). Max Resolution 1080i Input: SD/HD SDI via BNC with Equalized & Reclocked Looping Output Output: DVI-I, Analog RGB/YPbPr/YUV, AES3-id Digital & High Impedance Ster Options: IRC-5 Remote Control, RM-230 Rackmount Kit	1'028.00
1T-C2-520	DVI-I to HD-SDI Converter (No Scaling). Max Resolution 1080i Input: DVI-I, YPbPr/YUV via 3-BNC Output: SD/HD SDI via BNC Options: IRC-5 Remote Control, RM-230 Rackmount Kit	863.00
1T-FC-677 NEW	3G/HD/SD-SDI to HDMI v1.3 Converter with built-in SDI Distribution Amplifier Input: 3G/HD/SD-SDI Outputs: HDMI v1.3, Analog Stereo Audio, 2x Reclocked 3G/HD/SD-SDI Options: RM-230 Rackmount Kit	353.00
1T-FC-326	HDMI to YPbPr/YUV Component + Audio Converter (No Scaling). Max Res 1080p Inputs: 2x HDMI (Selectable). HDCP Compliant Output: YPbPr/YUV via 3-RCA, SPDIF Coaxial Audio via RCA & Stereo via 3.5mm Mini Options: RM-230 Rackmount Kit	248.00
1T-YPbPr-HDMI	YPbPr/YUV Component + Toslink Audio to HDMI Converter (No Scaling) Maximum I/O Resolution: 1080p Input: YPbPr/YUV via 3-RCA and Optical SPDIF Audio via Toslink. Output: HDMI	248.00
1T-DVI-HDMI	DVI + SPDIF Coaxial Audio to HDMI Converter (No Scaling) Maximum I/O Resolution: 1600x1200, 1080p Input: DVI and SPDIF Coaxial Audio via RCA. Output: HDMI. HDCP Compliant HDCP Compliant	248.00
1T-HDMI-DVI	HDMI to DVI + SPDIF Coaxial Audio Converter (No Scaling) Maximum I/O Resolution: 1600x1200, 1080p Input: HDMI. Output: DVI and SPDIF Coaxial Audio via RCA. HDCP Compliant	248.00
1T-FC-524	RGBHV/YPbPr/YUV Component to DVI Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input: HD-15. Output: DVI	165.00
1T-FC-425	DVI to RGBHV/YPbPr/YUV Component Converter (No Scaling) Maximum I/O Resolution: 1920x1200, 1080p Input DVI. Output: HD-15	173.00
Item Number	**Standards Converters & TBC's**	
1T-PAL-NTSC-GL	Standards Converter with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM. 8-bit Conversion Input/Output: CV, YC	795.00
1T-TBC-GL	Time Base Corrector with Genlock - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	368.00
1T-TBC	Time Base Corrector - Ultra Compact Multi-standard NTSC-PAL-SECAM, Integral Processing Amplifier. 8-bit Conversion Inputs/Outputs: CV, YC	240.00
Item Number	**Digital Routing Switchers**	
1T-MX-6344	4x4 HDMI v1.3 Matrix Routing Switcher - Max Res UXGA, 1080p Max Resolution: UXGA, 1080p. Max Distance: 20 Meters at 1080p I/O Connectors: HDMI. DVI Compatible IR, RS-232. IR Extender & Rackmount Ears included	1'020.00
1T-SX-644	4x1 HDMI v1.4 Switcher with Fast Switching Technology. Max Res: 1080p, 1920x1200 Deep Color support 36/30/24-bit, 1080p@60Hz. HDCP 1.4, CEC1.4, Dolby TrueHD RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	263.00
1T-SX-632	2x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	83.00

Item Number	Digital Routing Switchers Continued	
1T-SX-634	4x1 HDMI v1.3 Switcher. Maximum Resolution 1080p, 1920x1080 Signal Enhancement and Equalization. Maximum Distance 20 Meters (60 ft) RS-232, IR. Optional RM-230 Single/Dual Rackmount Kit	143.00
1T-DVI-721	2x1 DVI Switcher. HDCP Compliant. Max Resolution 1080p, 1920x1200 I/O Connectors: DVI-I. IR Remote. Max Distance 12 Meters (40 ft) Optional RM-320 Rackmount Kit. Optional 1T-IR-100 IR Extender	278.00
1T-SX-524	4x1 DVI Switcher. HDCP Compliant. Max Resolution 1080p, 1920x1200 I/O Connectors: DVI-I. IR Remote. Max Distance 12 Meters (40 ft) Optional RM-320 Rackmount Kit. Optional 1T-IR-100 IR Extender	390.00
Item Number	**Analog Routing Switchers**	
1T-MX-3344	4x4 YPbPr/YUV Component Video & Stereo Matrix Routing Switcher - Max Res 1080p Video Input/Output: 4xYPbPr/YUV via 3-RCA Audio Input/Output: 4xStereo Audio via 2-RCA IR, RS-232. Rackmount Ears included	435.00
MX-3141HDA	4x1 YPbPr Component Video & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xYPbPr via 3-RCA and 4xStereo Audio via 2-RCA and 4xCoaxial Audio via RCA Output: 1xYPbPr via 3-RCA and 1xStereo Audio via 2-RCA and 1xSPDIF Coaxial via RCA IR, RS-232. Rackmount Ears included	188.00
MX-3141PCA	4x1 RGB/YPbPr Component Video & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xRGB/YPbPr via HD-15 & 4xStereo Audio via 3.5mm Mini Stereo Output: 1xRGB/(No Suggestions) via HD-15 and 4xStereo Audio via 3.5mm Mini Stereo IR, RS-232. Rackmount Ears included	173.00
MX-3141CSVA	4x1 Composite/YC (S-Video) & Stereo Audio Switcher - Bandwidth 300MHz Input: 4xComposite via RCA, 4xYC via 4-Pin, 4xStereo via 2-RCA Output: 1xComposite via RCA, 1xYC via 4-Pin, 1xStereo via 2-RCA, 1xCoaxial via RCA IR, RS-232. Rackmount Ears included	128.00
MX-2522	2x2 RGBHV Matrix Routing Switcher - Max Resolution 2100x1600 I/O Connectors: HD-15 Optional RM-310 Rackmount Kit	210.00
1T-SW8x1SV	8x1 YC (S-Video) Switcher I/O Connectors: 4-Pin Mini-DIN IR Remote Control	293.00
1T-SW8x1CVB	8x1 Composite Video Switcher via BNC Connectors I/O Connectors: BNC IR Remote Control	293.00
1T-SW4x1ARL	4x1 Stereo Audio Switcher I/O Connectors: RCA (R/L) IR Remote Control	255.00
Item Number	**Analog Signal Distribution Amplifiers**	
1T-VGA-412	1x2 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	98.00
1T-VGA-414	1x4 RGB/YPbPr DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 Optional RM-320 Rackmount	188.00
1T-DA-472	1x2 RGB/YPbPr + Stereo Audio DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Optional RM-320 Rackmount	150.00
1T-DA-474	1x4 RGB/YPbPr + Stereo Audio DA. Bandwidth 500MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Optional RM-320 Rackmount	218.00

Item Number	Analog Signal Distribution Amplifiers Continued	
1T-DA-462	1x2 Ultra Compact RGB/YPbPr + Stereo Audio DA. Bandwidth 450MHz Maximum Resolution 2100x1600. Maximum Distance 50 Meters (150 ft) I/O Connectors: HD-15 and 3.5mm Mini-Stereo Power via USB Cable or External Power Supply (both provided)	120.00
1T-DA8SV	1x8 YC (S-Video) DA. Bandwidth 100MHz I/O Connectors: 4-Pin Mini-DIN	188.00
1T-DA8CVB	1x8 Composite Video DA. Bandwidth 100MHz I/O Connectors: BNC	188.00
Item Number	**Digital Signal Distribution Amplifiers**	
1T-DA-726 NEW	1x6 3G/HD/SD-SDI DA Maximum Distance 300m (1000 ft) @ SD and 150m (500ft) @ HD/3G Optional RM-220 Rackmount Kit	750.00
1T-DA-652	1x2 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Optional RM-220 Rackmount Kit	270.00
1T-DA-654	1x4 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Optional RM-220 Rackmount Kit	435.00
1T-DA-664	Same as 1T-DA-654, plus separate Analog Stereo Audio and SPDIF Audio Analog Stereo via 3.5mm Mini-Stereo Connectors SPDIF via RCA Connectors	488.00
1T-DA-658	1x8 HDMI v1.3 DA. Max Res 1080p, 1920x1080 Maximum Distance 30 Meters (100 ft) Rackmount Ears included	623.00
1T-DA-552	1x2 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	278.00
1T-DA-554	1x4 DVI-D DA. HDMI v1.3 Compatible. HDCP Compliant. Max Res 1080p, 1920x1200 I/O Connectors: DVI-I. Maximum Distance 20 Meters (60 Ft) Optional RM-220 Rackmount Kit	330.00
1T-DA-564	Same as 1T-DA-554, plus separate Analog Stereo Audio and SPDIF Audio Analog Stereo via 3.5mm Mini-Stereo Connectors SPDIF via RCA Connectors	330.00
1T-DA-124	Dual 1x4 Audio Distribution Amplifier 1x4 Analog Stereo DA via 3.5mm Mini-Stereo Connectors 1x4 SPDIF Audio DA via RCA Connectors	150.00
Item Number	**Options, Accessories and Spares**	
PS-STD-1233-LOCK	Universal 12VDC@1A Power Adapter with US type AC Plug and Locking DC Plug	23.00
PS-GI12-US0520-LOCK	Universal 5VDC@2A Power Adapter with US type AC Plug and Locking DC Plug	23.00
RM-220	Single/Dual Rackmount Frame for 1T-VS-558/658	63.00
RM-230	Single/Dual Rackmount Frame for 1T-C2-100/200/400/500 Series & 1T-FC-326	93.00
RM-310S	Single Rackmount Kit for MX-2522	44.00
RM-310D	Dual Rackmount Kit for MX-2522	44.00
RM-320S	Single Rackmount Kit for 1T Units: DVI-721, SX-524, VGA-412/414, DA-472/474	44.00
RM-320D	Dual Rackmount Kit for 1T Units: DVI-721, SX-524, VGA-412/414, DA-472/474	44.00
IRC-5	Infrared Remote Control for C2-1000, C2-2000, S2 Series and 1T-C2 Series Products	27.00
1T-IRR-100	IR Extender Module w/5 ft cable for 1T-DVI-700 Series & 1T-SX-524	33.00
Item Number	**Test Signal Generators**	
1T-TG-PCHD	Analog RGB/YPbPr Test Pattern Generator 25 Test Patterns Output: Analog - PC up to SXGA and HDTV up to 1080i	293.00
1T-TG-DVI	DVI RGB/YPbPr Video Test Pattern Generator 25 Test Patterns Output: DVI - PC up to SXGA and HDTV up to 1080i	293.00
1T-TG-620	HDMI Test Pattern Generator 25 Test Patterns Output: HDMI - PC up to UXGA and HDTV up to 1080p, with embedded audio tone	293.00

Item Number	Miscellaneous Products	
1T-AP-216	Analog Stereo (R/L) to SPDIF Coaxial and Toslink Digital Audio Converter with Delay Supports 2-Channel Stereo. Switchable 150ms Audio Delay Input: Analog Stereo via 2-RCA, Coaxial Audio via RCA and SPDIF Optical via Toslink Output: SPDIF Coaxial Audio via RCA and SPDIF Optical Audio via Toslink	68.00
1T-EDID-11 NEW	EDID/CEC Selector for HDMI v1.3, DVI 1.0 Selectable Resolutions: XGA, SXGA, UXGA, 720p, 1080i, 1080p Input/Output: HDMI	188.00
Item Number	**HDMI over Single Cat.5E/6 Series**	
1T-CT-631 NEW	Transmitter: HDMI ver1.3a over Single Cat.5e/6 Max Distance: 480p=60M (195 ft), 720p/1080i=50M (165 ft), 1080p=38M (125 ft) Input: HDMI. Output: Single Cat.6 Out via RJ45 Compatible Receiver: 1T-CT-632. Repeater: 1T-CT-633. DVI Compatible	150.00
1T-CT-632 NEW	Receiver: HDMI ver1.3a over Single Cat.5e/6 Max Distance: 480p=60M (195 ft), 720p/1080i=50M (165 ft), 1080p=38M (125 ft) Input: Single Cat.6 via RJ45. Output: HDMI Compatible Transmitters: 1T-CT-631, 1T-CT-637. Repeater: 1TG-CT-633. DVI Compatible	150.00
1T-CT-633 NEW	Repeater: HDMI ver1.3a over Single Cat.5e/6 Max Distance: 480p=60M (195 ft), 720p/1080i=50M (165 ft), 1080p=38M (125 ft) Inputs: Single Cat.6, HDMI. Output: Single Cat.6 Out via RJ45 Compatible Transmitters: 1T-CT-631, 1T-CT-637. Receiver: 1T-CT-632. DVI Compatible	218.00
1T-CT-637 NEW	8-Output Transmitter: HDMI ver1.3a over Single Cat.5e/6 with 8 Cat 5e/6 Outputs Max Distance: 480p=60M (195 ft), 720p/1080i=50M (165 ft), 1080p=38M (125 ft) Input: HDMI. Output: Cat.5e/6 Out via 8x RJ45 Compatible Receiver: 1T-CT-632. Repeater: 1T-CT-633. DVI Compatible	630.00
Item Number	**HDMI over Multi-Coax Set**	
1T-CT-680	HDMI ver1.3 over 5-Coax Transmitter-Receiver Set. Max Res 1920x1200, 1080p Active Connect Multimedia Transmission System Max Distance: 250M (750 ft) Tx Input: HDMI, Tx Output: 5-Coax via BNC. Rx Input: 5-Coax via BNC, Rx Output: HDMI	585.00
Item Number	**HDMI Wireless Transmission**	
1T-CT-691	HDMI v1.2 Wireless Transmitter. Max Res XGA, 1080p/24/30, 1080i/60 Max Distance: 20M (60 ft). Point-to-Point or Point-to-Multi-Point capability Input: HDMI. Output: Wireless	518.00
1T-CT-692	HDMI v1.2 Wireless Receiver. Max Res XGA, 1080p/24/30, 1080i/60 Max Distance: 20M (60 ft). Point-to-Point or Point-to-Multi-Point capability Input: Wireless. Output: HDMI	518.00
Item Number	**DVI over Cat.5 Series**	
1T-CT-521	DVI + Audio over Cat.5 Transmitter. Max Res 1080p, 1920x1200 Max Distance: Up to 250M (750 ft) Input: DVI-D, Coaxial S/PDIF, Analog Stereo. Output: Cat.5 Out via 1xRJ45. Compatible Receivers: 1T-CT-528. Not HDCP Compliant	248.00
1T-CT-524	DVI + Audio over Cat.5 Receiver. Max Res 1080p, 1920x1200 Max Distance: 100M (300 ft) Input: Cat.5 Out via 1xRJ45. Output: DVI-D, Coaxial S/PDIF, Analog Stereo Compatible Transmitter: 1T-CT-521. Not HDCP Compliant	270.00
1T-CT-528	DVI + Audio over Cat.5 Receiver. Max Res 1080p, 1920x1200 Max Distance: 250M (750 ft) Input: Cat.5 Out via 1xRJ45. Output: DVI-D, Coaxial S/PDIF, Analog Stereo Compatible Transmitter: 1T-CT-521. Not HDCP Compliant	413.00
Item Number	**3G/HD/SD-SDI over Fiber Optic Transmission Set**	
1T-CT-770 NEW	3G/HD/SD-SDI over Fiber Optic Cable Transmitter-Receiver Set. Max Res 1080p Max Distance: 30KM (18.6 miles) 1T-CT-771 Transmitter - Input: 3G/HD/SD-SDI, Output: 1 Single Fiber Optic Cable w/ST 1T-CT-772 Receiver - Input: 1 Single Fiber Optic Cable, Output:3G/HD/SD-SDI	1'620.00
Item Number	**DVI over Fiber Optic Transmission Set**	
1T-CT-570	DVI-D over Fiber Optic Cable Transmitter-Receiver Set. Max Res 1080p, 1920x1200 Max Distance: 500M (1500 ft) 1T-CT-571 Transmitter - Input: DVI-D, Output: 2 Fiber Optic Cables 1T-CT-572 Receiver - Input: 2 Fiber Optic Cables, Output: DVI-D	623.00
Item Number	**Optional Fiber Optic Cable**	
ZF4215-75	4 Core Fiber Optic Cable Assembly - 75' (25m) - Terminated on both ends	521.00

Item Number	Analog RGB-YPbPr over Cat.5 Series	
1T-CT-441	Transmitter: RGBHV. Up to 300M (1,000') depending on Receiver used Max Res: 1920x1200. Compatible Receivers:1T-CT-442, 444 Optional RM-370T Rackmount Kit	188.00
1T-CT-443	Transmitter: RGBHV+Stereo/SPDIF. Up to 300M (1,000') depending on Receiver used Max Res: 1920x1200. Compatible Receivers:1T-CT-442, 444, 452, 456 Optional RM-370T Rackmount Kit	218.00
1T-CT-445	Transmitter: RGBHV+RS-232. Up to 300M (1,000') depending on Receiver Max Res: 1920x1200. Compatible Receivers:1T-CT-454, 458 Optional RM-370T Rackmount Kit	218.00
1T-CT-453	Transmitter: YPbPr+Stereo/SPDIF. Up to 300 Meters (1,000') depending on Rx used Max Res: 1920x1200. Compatible Receivers:1T-CT-464 Optional RM-370T Rackmount Kit	218.00
1T-CT-467	Transmitter: RGBHV+Stereo over Cat.5 w/ 8 outputs. Up to 300M (1,000') depending on Rx Max Res: 1920x1200. Compatible Receivers: 1T-CT-442, 444, 452, 456 Optional RM-360S Rackmount Kit	555.00
1T-CT-442	Receiver: RGBHV. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-441, 443, C2-1200/1250 Built in Gain and Equalization Optional RM-370TRackmount Kit	218.00
1T-CT-444	Receiver: RGBHV. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-441, 443, C2-1200/1250 Built in Gain, Equalization and Skew Correction Optional RM-370T Rackmount Kit	315.00
1T-CT-452	Receiver: RGBHV+Stereo/SPDIF. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-443 Built in Gain and Equalization Optional RM-370T Rackmount Kit	270.00
1T-CT-454	Receiver: RGBHV+RS-232. Up to 150M (500') Max Res: 1920x1200. Compatible Transmitters:1T-CT-445 Built in Gain and Equalization Optional RM-370T Rackmount Kit	270.00
1T-CT-456	Receiver: RGBHV+Stereo/SPDIF. Up to 300M (1,000'). Built in Cat.5 Repeater Max Res: 1920x1200. Compatible Transmitters:1T-CT-443 Built in Gain, Equalization, Skew Correction and Cat.5 Repeater Optional RM-370T Rackmount Kit	405.00
1T-CT-458	Receiver: RGBHV+RS-232. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-445 Built in Gain, Equalization, Skew Correction Optional RM-370T Rackmount Kit	405.00
1T-CT-464	Receiver: YPbPr+Stereo/SPDIF. Up to 300M (1,000') Max Res: 1920x1200. Compatible Transmitters:1T-CT-453, C2-1200/1250 Built in Gain and Equalization Optional RM-370T Rackmount Kit	270.00
Item Number	Economy Analog RGB over Cat.5 Set	
1T-CT-420	Economy Transmitter-Receiver Set. RGBHV. Up to 180M (590') Max Res: 1280x1024 Transmitter: 1T-CT-421 Receiver: 1T-CT-422 with Built-in Gain and Equalization	285.00
Item Number	Rackmount Accessories	
RM-360S	Single Rackmount Kit for 1T-CT-467	66.00
RM-370T	Triple Rackmount Kit for all 1T-CT-400 Series models, except 1T-CT-421, 422, 467 Units	66.00